


INVICTA
Movement Caliber
VD54

INFO

- The measurement time indicated by the stopwatch hands move independently of the center hands.
- Chrono 1/10 sec : The stopwatch 1/10 second hand moves for a first minute. After one minute, it indicates the measurement time when it is stopped.

Movement Caliber : VD54
Presentation

Display Elements

Minutes Hand


Hour Hand

Stopwatch
Minutes Hand
(Move in second
increments)

Second Hand

Stopwatch
Minutes Hand
(Move in second
increments)

24-Hour Hand
(Indicates the time on
a 24-Hour basis)



Control Buttons

Push Button A

In stopwatch function:
Start / Stop



Crown Positions

- 1: Date setting
- 2: Time setting

Push Button B

In stopwatch function:
Split / Split release / Reset

Movement Caliber : VD54

Setting

Adjusting the Stopwatch Hand Position

Before setting the time, check if all the chronograph hands - second, minute - are at the "0" (12 o'clock) position.

- If the stopwatch is in use, press the buttons in the following order to reset it, and then, check if the hands return to "0" position.
(For details, see "HOW TO USE THE STOPWATCH")
- If the chronograph is counting : **A > B**
- If the stopwatch is stopped : **B**
- If the split time is displayed: **B > A > B**

If either of the stopwatch hands are not in the "0" position , reset them following the procedure below



1.2

Press button A or B to reset all stopwatch hands to "0" position.

- The stopwatch minute hand moves correspondingly with the stopwatch second hand.
- The hands move quickly if the respective buttons are kept pressed.



1.1

Pull the crown out to position 2.



1.3

Push the crown back to the normal position.

Movement Caliber : VD54

Setting

Time Setting


- Before setting the time, check that the chronograph measurement is stopped.

2.1 Pull out the crown when the second hand is at the 12 o'clock position. The second hand will stop on the spot.

2.2 Set the hands to the desired time of the day by turning the crown, make sure AM/PM is set correctly.

Do not press any button, otherwise the chronograph hands will move.

2.3 Push the crown back to the normal position in accordance with a time signal.



Movement Caliber : VD54

Functions

How to Use the Stopwatch

- The measurement time is indicated by the stopwatch hands that move independently of the center hands (and 24-hour hand where applicable).
- The stopwatch can measure up to 60 minutes.


Standard Measurement

E.g. 100m race (Press the buttons in the following order A > A > B)




3.1

Start



3.2

Stop (Finish) 10 Seconds



3.3

Reset (Reset to "0'00")

Movement Caliber : VD54

Functions

Split Time Measurement

E.g. 5,000m race

(Press the buttons in the following order A > B / B ... > A > B)

Measurement and release of the split time can be repeated as many times as necessary by pressing button B.

5.1 Start

5.2 Split / Split release, 5 Minutes 50 Seconds

5.3 Stop, 15 Minutes 10 Seconds

5.4 Reset

